







FeltVibe®



**3D Texture Printed
Canvas & Micro Pill**
Acoustic PET Felt Panels




3D Texture Printed Canvas & Micro Pill Acoustic PET Felt Panel


3D Texture Printed Canvas & Micro Pill is a special product born from our passion for felt and finishes. In fact, the pattern was born by exploiting the materiality and transparency of the materials. That's how, from the coupling of two layers, a rich but at the same time neutral texture is born, very suitable also for covering large surfaces. The pattern hole enhances the combination of colors, enriching the detail of the material.




Canvas Roll



Canvas Sheet



Micro Pill Roll



Micro Pill Sheet

Thickness & Weight

2mm ($\pm 0,5$ mm) 200 g/m² ($\pm 10\%$)

Dimensions

2700 x 1500mm

Note: Custom cuts on request

Thickness & Weight


9mm ($\pm 0,5$ mm) 2400 g/m² ($\pm 10\%$)

12mm ($\pm 0,5$ mm) 2600 g/m² ($\pm 10\%$)


Dimensions

2700 x 1500mm


COLLECTION




EC01




EC02




EC03




EC04




EC05




EC06




EC07




EC08




CS09




CS10




CS11




CS12




EC13




EC14




EC15




EC16




EC17



EC18



EC19




EC20




COLLECTION




EMP01




EMP02




EMP03



EMP04




EMP05




EMP06



EMP07



EMP08




EMP09



EMP10




EMP11



EMP12




EMP13




EMP14




EMP15



EMP16




EMP17




EMP18



EMP19



EMP20



SPECIFICATIONS

COMPOSITION	60% Recyled Polyester (PET) (100% Pes)
DIMENSIONS	Max. Width: 1500mm
THICKNESS & WEIGHT	9mm (±0,5 mm) / 2400 g/m ² (± 10%)
	12mm (±0,5 mm) / 2600 g/m ² (± 10%)
ACOUSTIC	NRC: up to 0.64 Class D (subject to mounting conditions)
FIRE TEST STANDARDS	EN 1021 - 1 (cigarette) EN 13501-1 (SBI) Adhered Class B-s1,d0
LIGHT FASTNESS	4+ (ISO 105 - B02)
ENVIRONMENT	Non VOCs emission formaldehyde free and Phenol-free, Oekotex Class 1, Phthalate Free

Key Futures



ACOUSTIC



FIRE RATED



INSULATION



RESISTANT



RECYCLED



ECO-FRIENDLIY



TACKABLE




PRINTABLE



LIGHT



VOC - FREE








ANTIBACTERIAL



EASY TO CLEAN

Acoustic Properties

Mounting method					
NRC	0.30	0.65	0.80	0.75	0.80
α_w	0.25	0.50	0.85	0.80	0.80

NRC = Noise reduction coefficient
 α_w = Sound absorption coefficient

ACOUSTIC
FELT
FeltVibe®




GENTUĞ

HEAD OFFICE

Savaş Cad. Soğut Sok. No: 1
34164 Merter, İstanbul, Türkiye
T: +90 212 637 09 89
F: +90 212 637 02 96
info@feltvibe.com

DÜZCE FACTORY

Organize Sanayii Bölgesi 13. Ada
1/4 Parsel Beyköy Belediyesi
81060 Düzce, Türkiye
T: +90 380 553 73 68-69
F: +90 380 553 73 68-69

GEREDE FACTORY

Gerkonsan Organize
Sanayii Bölgesi
14900 Gerede, Bolu, Türkiye
T: +90 374 311 82 57 / 58
F: +90 374 311 66 37

İZMİR BRANCH

MTK Sitesi 747/ 2 Sokak
No:37 6003 ADA, 6003
Altındağ, İzmir, Türkiye
T: +90 232 431 08 17-18
F: +90 232 431 08 19

FOLLOW US



www.feltvibe.com