

ACOUSTIC  
FELT



FeltVibe®



Acoustik PET Felt  
Desk Division

# Desk Screen System

Desk Screens are a great way to absorb sound, add privacy, color and style in any open plan workspace, enhancing speech intelligibility making every office space a better place to work in. Desk screens are a welcome addition to any open plan office and are totally customizable for size, shape, hole pattern and color.


A




B

A	B	Thickness
1200	600	12-18-20-24
1500	600	12-18-20-24
1800	600	12-18-20-24

FLAT



CIRCULAR




RECTANGLE


**For special shapes and sizes, please contact the sales department.**

# Desk Return Screen


Desk Return Screens are a simple and effective way to ensure privacy and deaden sound between bench style desks and workstations. Available in a range of both colors and high performance acoustic properties.



RET420




RET440



RET600

# Hardware

## Desk Screen Bracket




### Desk Screen Bracket

Product Name: Desk Partition Clamp  
Model: PJ-4  
Regular Colors: White / Black / Sliver  
Panel Thickness Clip: 12-18-20mm






### Desk Screen Bracket

Product Name: Desk Partition Clamp  
Model: PJ-3-1  
Regular Colors: White / Black / Sliver  
Panel Thickness Clip: 12-18-20mm




### Desk Screen Bracket


Product Name: Desk Partition Clamp  
Model: PJ-25  
Regular Colors: White / Black / Sliver  
Panel Thickness Clip: 18-20-25mm



## Adjustable Desk Divider Partition Clips




### Desk Divider Partition Clips



### Desk Divider Partition Clips

+  
Desk Screen Bracket PJ-3-1



### Desk Divider Partition Clips

+  
Desk Screen Bracket PJ-4

## SPECIFICATIONS

<b>COMPOSITION</b>	ARKETA: 60% Recycled Polyester (PET) (100% Pes) ARKETA ECOCO: 100% Recycled Polyester (PET)
<b>THICKNESS &amp; WEIGHT</b>	9mm ( $\pm 0.5\text{mm}$ ) 2000 g/m <sup>2</sup> ( $\pm 10$ ) 12mm ( $\pm 0.5\text{mm}$ ) 2400 g/m <sup>2</sup> ( $\pm 10$ ) 18mm ( $\pm 0.5\text{mm}$ ) 3000 g/m <sup>2</sup> ( $\pm 10$ ) 24mm ( $\pm 0.5\text{mm}$ ) 3500 g/m <sup>2</sup> ( $\pm 10$ )
<b>ACOUSTIC</b>	NRC: 0.85 (12mm) NRC: 0.85 (18mm) NRC: 0.90 (24mm)
<b>FIRE TEST STANDARDS</b>	EN 1021 - 1 (cigarette) EN 13501-1 (SBI) Adhered Class B-s1,d0
<b>LIGHT FASTNESS</b>	4+ (ISO 105 - B02)
<b>ENVIRONMENT</b>	Non VOCs emission formaldehyde free and Phenol-free, Oekotex Class 1, Phthalate Free
<b>CLEANNING</b>	Vacuum regularly. Professionally dry clean or wipe clean with a dampcloth.

## ARKETA | PET FELT COLLECTIONS



## ARKETA ECOCO | PET FELT COLLECTIONS



**HEAD OFFICE**

Savaş Cad. Söğüt Sok. No: 1  
34164 Merter, İstanbul, Türkiye  
**T:** +90 212 637 09 89  
**F:** +90 212 637 02 96  
[info@feltvibe.com](mailto:info@feltvibe.com)

**DÜZCE FACTORY**

Organize Sanayii Bölgesi 13. Ada  
1/4 Parsel Beyköy Belediyesi  
81060 Düzce, Türkiye  
**T:** +90 380 553 73 68-69  
**F:** +90 380 553 73 68-69

**GEREDE FACTORY**

Gerkonsan Organize  
Sanayii Bölgesi  
14900 Gerede, Bolu, Türkiye  
**T:** +90 374 311 82 57 / 58  
**F:** +90 374 311 66 37

**İZMİR BRANCH**

MTK Sitesi 747/ 2 Sokak  
No:37 6003 ADA, 6003  
Altındağ, İzmir, Türkiye  
**T:** +90 232 431 08 17-18  
**F:** +90 232 431 08 19

**FOLLOW US**[www.feltvibe.com](http://www.feltvibe.com)