

ACOUSTIC FELT

FeltVibe®

Acoustic Lighting

CERTIFICATES & TEST STANDARDS

ACOUSTIC PERFORMANCE
TS EN ISO 354:2006
Measurement of sound absorption in a reverberation room

FIRE PERFORMANCE
EN 13501-1:2018
Classification of reaction to fire

ASTM E84
Surface burning characteristics of building materials

VOC & FORMALDEHYDE
EKOTEKS 54
Volatile Organic Compounds
ISO 14184-1:2011
Determination of formaldehyde


MATERIAL PERFORMANCE
ASTM D3574:2017 Determination of density
ISO 12947-2:2016
Martindale abrasion resistance

THERMAL PERFORMANCE
ISO 11092:2014
Thermal and water-vapour resistance

LIGHT FASTNESS
ISO 105-B02:2014
Colour fastness to artificial light

MATERIAL SAFETY
OEKO-TEX® STANDARD 100

WATER RESISTANCE
AATCC 35:2018
Water Resistance – Rain Test



ABOUT US

From Felt Manufacturing to Acoustic Design

Global Design. Local Manufacturing.

We are proud to design, develop and manufacture in Türkiye. More than 90% of our textile and acoustic products are produced locally, giving us greater control over quality, customization and production while allowing us to respond efficiently to the needs of projects around the world.

FeltVibe® is a manufacturer of PET felt and design-driven architectural acoustic solutions, combining extensive textile manufacturing experience with contemporary acoustic design and advanced production technologies.

Unlike brands that focus solely on finished acoustic products, our strength begins with the material itself. With our own manufacturing facilities and expertise in textile and non-woven technologies, we maintain greater control over material development, quality, color, performance and production flexibility. This integrated manufacturing capability enables us to develop both standard products and highly customized solutions for architectural projects.

Our PET felt is transformed into a wide range of acoustic and decorative applications, including wall panels, ceiling systems, baffles, dividers, acoustic lighting solutions and custom-designed architectural elements. The flexibility of the material allows us to offer extensive choices in color, form, dimensions, pattern and printing.

Supported by our R&D capabilities and a multidisciplinary team of industrial designers, product engineers and acoustic specialists, we work directly with architects, interior designers, fit-out companies and global brands from concept development through production.

BUSINESS OVERVIEW

3 Factories
in Gerede, Tuzla and Düzce

500
Employees

55,000 m²
Total Indoor Production Area

CUPALA

Acoustic Lighting



Cupala combines sculptural lighting with acoustic comfort in a distinctive pendant form. Made from sound-absorbing PET felt, its ribbed dome helps reduce reverberation while adding depth, texture and a warm architectural presence.

Designed for workspaces, meeting areas, dining spaces and hospitality interiors, Cupala brings light, material and sound together in a single suspended element, enhancing the atmosphere while supporting a more comfortable acoustic environment.

E26/E27 - Lightbulb excluded
Integrated LED

PET Felt: αw 0.30–0.80*
*Varies by geometry and installation.

60% RECYCLED CONTENT

100% RECYCLED CONTENT

IP20

Diffusion by design

PRODUCT DETAILS


MATERIAL	ARKETA: 100% PET, 60% recycled content
	ARKETA ECOCO: 100% recycled PET
	SATIS: 100% PET (polyester)
THICKNESS & WEIGHT	ARKETA: 12 mm (±0.5 mm) 2400 g/m² (±10%)
	ARKETA ECOCO: 12 mm (±0.5 mm) 2400 g/m² (±10%)
	ICHOS: 12 mm (±0.5 mm) 1800 + 200 g/m² (±10%)
FIRE PERFORMANCE	EN 1021-1: Cigarette test
	EN 13501-1 (SBI): Class B-s1,d0 (adhered)
LIGHT FASTNESS GRADE	4+ (ISO 105-B02)
ENVIRONMENT	Low VOC emissions; formaldehyde-free; phenol-free; OEKO-TEX® Class 1; phthalate-free
CARE & MAINTENANCE	Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth


DIMENSIONS



E27 SOCKET CUPALA
CL750

LED CUPALA
CL750L






Fixture:
3 m black textile cable / Black ceiling cap

Mounting:
Stainless steel suspension wires (Standard 3 m)

STANDARD COLORS ARKETA MELANGE & FLAT



Gravel R-01	Sand Beige R-02	Apricot R-03	Chinese Red R-04	Kiwi R-05	Indigo Bunting R-06	Black R-07	Celery Green R-08	Classic White R-09	Light Gray R-10
Gray R-11	Dark Gray R-12	Ecru Gray M-01	Taupe Stone M-02	Golden Ochre M-03	Brick Red M-04	Moss Green M-05	Ocean Blue M-06	Sage Gray M-07	Pistachio Green M-08

ICHOS 82 COLOR OPTIONS

Custom Color Combinations: Choose different SATIS colors for the inner and outer surfaces to create a personalized two-tone finish. See page 19 for full ICHOS color collection.
See page 18 for ARKETA ECOCO color collections.

DOME

Acoustic Lighting



Dome combines a soft sculptural form with the acoustic benefits of PET felt, bringing warmth, texture and visual comfort to interior spaces. Its curved felt surface helps absorb reflected sound and reduce reverberation while creating a refined architectural focal point. Designed for dining areas, meeting spaces, lounges and hospitality interiors, Dome brings lighting and acoustic comfort together in a compact suspended form.

E27 - Lightbulb excluded
Integrated LED

PET Felt: aw 0.30–0.80*
*Varies by geometry and installation.

60% RECYCLED CONTENT
100% RECYCLED CONTENT

IP20

Diffusion by design

PRODUCT DETAILS

MATERIAL	ARKETA: 100% PET, 60% recycled content
	ARKETA ECOCO: 100% recycled PET
	SATIS: 100% PET (polyester)
FIRE PERFORMANCE	EN 1021-1: Cigarette test
	EN 13501-1 (SBI): Class B-s1,d0 (adhered)
LIGHT FASTNESS GRADE	4+ (ISO 105-B02)
ENVIRONMENT	Low VOC emissions; formaldehyde-free; phenol-free; OEKO-TEX® Class 1; phthalate-free
CARE & MAINTENANCE	Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth


DIMENSIONS





E27 SOCKET DOME
DL445



LED DOME
DL445L










Fixture:
1.5 m black
textile cable /
Black ceiling cap

STANDARD COLORS ARKETA MELANGE & FLAT



Gravel R-01 | Sand Beige R-02 | Apricot R-03 | Chinese Red R-04 | Kiwi R-05 | Indigo Bunting R-06 | Black R-07 | Celery Green R-08 | Classic White R-09 | Light Gray R-10

Gray R-11 | Dark Gray R-12 | Ecru Gray M-01 | Taupe Stone M-02 | Golden Ochre M-03 | Brick Red M-04 | Moss Green M-05 | Ocean Blue M-06 | Sage Gray M-07 | Pistachio Green M-08

ICHOS 82 COLOR OPTIONS

Custom Color Combinations: Choose different SATIS colors for the inner and outer surfaces to create a personalized two-tone finish. See page 19 for full ICHOS color collection.
See page 18 for ARKETA ECOCO color collections.

VINTAGE

Acoustic Lighting



Vintage combines a layered sculptural form with the acoustic benefits of PET felt. Its concentric dome creates a warm architectural presence while helping absorb sound and reduce reverberation.

Designed for dining areas, lounges, meeting spaces and hospitality interiors, Vintage brings together light, material and acoustic comfort in a distinctive suspended element.

E27 - Lightbulb excluded
Integrated LED

PET Felt: aw 0.30–0.80*
*Varies by geometry and installation.

60% RECYCLED CONTENT

100% RECYCLED CONTENT

IP20

Diffusion by design

PRODUCT DETAILS

MATERIAL	ARKETA: 100% PET, 60% recycled content
	ARKETA ECOCO: 100% recycled PET
	SATIS: 100% PET (polyester)
THICKNESS & WEIGHT	ARKETA: 12 mm (±0.5 mm) 2400 g/m² (±10%)
	ARKETA ECOCO: 12 mm (±0.5 mm) 2400 g/m² (±10%)
	ICHOS: 12 mm (±0.5 mm) 1800 + 200 g/m² (±10%)
FIRE PERFORMANCE	EN 1021-1: Cigarette test
	EN 13501-1 (SBI): Class B-s1,d0 (adhered)
LIGHT FASTNESS GRADE	4+ (ISO 105-B02)
ENVIRONMENT	Low VOC emissions; formaldehyde-free; phenol-free; OEKO-TEX® Class 1; phthalate-free
CARE & MAINTENANCE	Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth


DIMENSIONS





E27 SOCKET VINTAGE
VL445



LED VINTAGE
VL445L










Fixture:
1.5 m black
textile cable /
Black ceiling cap

STANDARD COLORS ARKETA MELANGE & FLAT



Gravel R-01	Sand Beige R-02	Apricot R-03	Chinese Red R-04	Kiwi R-05	Indigo Bunting R-06	Black R-07	Celery Green R-08	Classic White R-09	Light Gray R-10
Gray R-11	Dark Gray R-12	Ecru Gray M-01	Taupe Stone M-02	Golden Ochre M-03	Brick Red M-04	Moss Green M-05	Ocean Blue M-06	Sage Gray M-07	Pistachio Green M-08

ICHOS 82 COLOR OPTIONS

Custom Color Combinations: Choose different SATIS colors for the inner and outer surfaces to create a personalized two-tone finish. See page 19 for full ICHOS color collection.
See page 18 for ARKETA ECOCO color collections.

ARCLINE BASIC

Acoustic Lighting



ArcLine Basic combines a sculptural dome form with the acoustic benefits of PET felt. Its exposed fixings and segmented construction give the pendant a distinctive architectural character, while the broad felt surface helps reduce reverberation and improve acoustic comfort. Designed for dining tables, meeting areas and collaborative spaces, ArcLine Basic brings light, material and sound together in a compact suspended form.

Integrated LED
50,000 h

PET Felt: αw 0.30–0.80*
*Varies by geometry and installation.

60% RECYCLED CONTENT

100% RECYCLED CONTENT

IP40

Diffusion by design


PRODUCT DETAILS

MATERIAL	ARKETA: 100% PET, 60% recycled content
	ARKETA ECOCO: 100% recycled PET
	SATIS: 100% PET (polyester)
THICKNESS & WEIGHT	ARKETA: 12 mm (±0.5 mm) 2400 g/m² (±10%)
	ARKETA ECOCO: 12 mm (±0.5 mm) 2400 g/m² (±10%)
	ICHOS: 12 mm (±0.5 mm) 1800 + 200 g/m² (±10%)
APPROX. PRODUCT WEIGHT	ARKETA: 6.7 kg / pc. (±10%)
	ARKETA ECOCO: 6.7 kg / pc. (±10%)
	ARKETA + SATIS: 5.8 kg / pc. (±10%)
FIRE PERFORMANCE	EN 1021-1: Cigarette test
	EN 13501-1 (SBI): Class B-s1,d0 (adhered)
LIGHT FASTNESS GRADE	4+ (ISO 105-B02)
ENVIRONMENT	Low VOC emissions; formaldehyde-free; phenol-free; OEKO-TEX® Class 1; phthalate-free
CARE & MAINTENANCE	Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth

DIMENSIONS



LED ARCLINE BASIC
ARCBL1366L



Semi x 4

Fixture:
3 m white textile cable / White ceiling cap

STANDARD COLORS ARKETA MELANGE & FLAT

Gravel R-01	Sand Beige R-02	Apricot R-03	Chinese Red R-04	Kiwi R-05	Indigo Bunting R-06	Black R-07	Celery Green R-08	Classic White R-09	Light Gray R-10
Gray R-11	Dark Gray R-12	Ecru Gray M-01	Taupe Stone M-02	Golden Ochre M-03	Brick Red M-04	Moss Green M-05	Ocean Blue M-06	Sage Gray M-07	Pistachio Green M-08

ICHOS 82 COLOR OPTIONS

Custom Color Combinations: Choose different SATIS colors for the inner and outer surfaces to create a personalized two-tone finish. See page 19 for full ICHOS color collection.
See page 18 for ARKETA ECOCO color collections.

ARCLINE

Acoustic Lighting



ArcLine is a modular acoustic pendant system composed of overlapping dome-like PET felt sections arranged in a linear configuration. Its exposed fixings and gently curved geometry create a distinctive architectural form while the generous felt surface helps reduce reverberation and improve acoustic comfort.

Available in multiple lengths and configurations, ArcLine can be adapted to dining tables, meeting areas, collaborative spaces and larger interior settings where lighting and acoustic treatment are required within a single suspended element.

Integrated LED
50,000 h

PET Felt: αw 0.30–0.80*
*Varies by geometry and installation.

IP40

Diffusion by design

60% RECYCLED CONTENT

100% RECYCLED CONTENT

PRODUCT DETAILS

MATERIAL	ARKETA: 100% PET, 60% recycled content
	ARKETA ECOCO: 100% recycled PET
	SATIS: 100% PET (polyester)
THICKNESS & WEIGHT	ARKETA: 12 mm (±0.5 mm) 2400 g/m² (±10%)
	ARKETA ECOCO: 12 mm (±0.5 mm) 2400 g/m² (±10%)
	ICHOS: 12 mm (±0.5 mm) 1800 + 200 g/m² (±10%)
FIRE PERFORMANCE	EN 1021-1: Cigarette test
	EN 13501-1 (SBI): Class B-s1,d0 (adhered)
LIGHT FASTNESS GRADE	4+ (ISO 105-B02)
ENVIRONMENT	Low VOC emissions; formaldehyde-free; phenol-free; OEKO-TEX® Class 1; phthalate-free
CARE & MAINTENANCE	Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth

DIMENSIONS



LED ARCLINE
ARCBL2466L



LED ARCLINE
ARCBL1916L




2x
3x
4x

Mounting:
Stainless steel suspension wires (Standard 3 m)



Fixture:
3m cream textile cable / Cream ceiling cap




ARCL1916L
Semi x 4 - Arc x 2

ARCL2466L
Semi x 4 - Arc x 4

ARCL3016L
Semi x 4 - Arc x 6

STANDARD COLORS ARKETA MELANGE & FLAT



Gravel R-01 | Sand Beige R-02 | Apricot R-03 | Chinese Red R-04 | Kiwi R-05 | Indigo Bunting R-06 | Black R-07 | Celery Green R-08 | Classic White R-09 | Light Gray R-10

Gray R-11 | Dark Gray R-12 | Ecru Gray M-01 | Taupe Stone M-02 | Golden Ochre M-03 | Brick Red M-04 | Moss Green M-05 | Ocean Blue M-06 | Sage Gray M-07 | Pistachio Green M-08

ICHOS 82 COLOR OPTIONS

Custom Color Combinations: Choose different SATIS colors for the inner and outer surfaces to create a personalized two-tone finish. See page 19 for full ICHOS color collection.
See page 18 for ARKETA ECOCO color collections.

ECHOLAYER

Acoustic Lighting



EchoLayer combines layered geometry with soft sculptural lines to bring acoustic comfort and refined visual character to interior spaces. Made from sound-absorbing PET felt, it helps reduce reverberation while adding depth and texture. Designed for dining, meeting and social spaces, EchoLayer brings lighting and acoustic function together in one calm architectural form.

Integrated LED
50,000 h

PET Felt: αw 0.30–0.80*
*Varies by geometry and installation.

60% RECYCLED CONTENT

100% RECYCLED CONTENT

IP40

Diffusion by design


PRODUCT DETAILS

MATERIAL	ARKETA: 100% PET, 60% recycled content
	ARKETA ECOCO: 100% recycled PET
	SATIS: 100% PET (polyester)
THICKNESS & WEIGHT	ARKETA: 12 mm (±0.5 mm) 2400 g/m² (±10%)
	ARKETA ECOCO: 12 mm (±0.5 mm) 2400 g/m² (±10%)
	ICHOS: 12 mm (±0.5 mm) 1800 + 200 g/m² (±10%)
FIRE PERFORMANCE	EN 1021-1: Cigarette test
	EN 13501-1 (SBI): Class B-s1,d0 (adhered)
LIGHT FASTNESS GRADE	4+ (ISO 105-B02)
ENVIRONMENT	Low VOC emissions; formaldehyde-free; phenol-free; OEKO-TEX® Class 1; phthalate-free
CARE & MAINTENANCE	Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth

DIMENSIONS



LED ECHOLAYER
ECO840



Fixture:
3 m white textile cable / White ceiling cap

Mounting:
Stainless steel suspension wires (Standard 3 m)

STANDARD COLORS ARKETA MELANGE & FLAT

Gravel R-01	Sand Beige R-02	Apricot R-03	Chinese Red R-04	Kiwi R-05	Indigo Bunting R-06	Black R-07	Celery Green R-08	Classic White R-09	Light Gray R-10
Gray R-11	Dark Gray R-12	Ecru Gray M-01	Taupe Stone M-02	Golden Ochre M-03	Brick Red M-04	Moss Green M-05	Ocean Blue M-06	Sage Gray M-07	Pistachio Green M-08

ICHOS 82 COLOR OPTIONS

Custom Color Combinations: Choose different SATIS colors for the inner and outer surfaces to create a personalized two-tone finish. See page 19 for full ICHOS color collection.
See page 18 for ARKETA ECOCO color collections.

FELTHALO

Acoustic Lighting



FeltHalo Acoustic PET Felt Pendant Light features layered, curved felt fins arranged around a central light source, creating a sculptural form with integrated acoustic function. The PET felt helps absorb reflected sound and reduce reverberation, while the layered geometry adds warmth, depth, and soft light to a wide range of interior spaces.

E27 - Lightbulb excluded

Reference PET felt performance: αw 0.30–0.80

60% RECYCLED CONTENT

100% RECYCLED CONTENT

IP20

Diffusion by design


PRODUCT DETAILS

MATERIAL	ARKETA: 100% PET, 60% recycled content
	ARKETA ECOCO: 100% recycled PET
THICKNESS & WEIGHT	ARKETA: 12 mm (±0.5 mm) 2400 g/m² (±10%)
	ARKETA ECOCO: 12 mm (±0.5 mm) 2400 g/m² (±10%)
APPROX. PRODUCT WEIGHT	ARKETA: 1.45 kg / pc. (±10%)
	ARKETA ECOCO: 1.45 kg / pc. (±10%)
FIRE PERFORMANCE	EN 1021-1: Cigarette test
	EN 13501-1 (SBI): Class B-s1,d0 (adhered)
LIGHT FASTNESS GRADE	4+ (ISO 105-B02)
ENVIRONMENT	Low VOC emissions; formaldehyde-free; phenol-free; OEKO-TEX® Class 1; phthalate-free
CARE & MAINTENANCE	Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth

DIMENSIONS



E27 SOCKET FELTHALO
FHL480



Fixture:
3 m white textile cable / White ceiling cap

LIGHTING SPECIFICATIONS

Code	Light Source	Wattage (W)	Input Voltage (V)	Input Frequency (Hz)	Lumen Output (lm)	Color Temperature Options (K)	Color Rendering Index (CRI)
FHL480	E27	Max. 50 W	220 - 240V AC	50 Hz	Bulb dependent	Bulb dependent	Bulb dependent

Compatible bulb: E27 LED bulb (not included).

STANDARD COLORS ARKETA MELANGE & FLAT

Gravel R-01 | Sand Beige R-02 | Apricot R-03 | Chinese Red R-04 | Kiwi R-05 | Indigo Bunting R-06 | Black R-07 | Celery Green R-08 | Classic White R-09 | Light Gray R-10

Gray R-11 | Dark Gray R-12 | Ecru Gray M-01 | Taupe Stone M-02 | Golden Ochre M-03 | Brick Red M-04 | Moss Green M-05 | Ocean Blue M-06 | Sage Gray M-07 | Pistachio Green M-08

STANDARD COLORS ARKETA ECOCO

Ecru 01 | Granite Gray 02 | Graphite Gray 03 | Carbon Black 04

100% RECYCLED CONTENT

ARKETA FLAT ACOUSTIC PET FELT PANEL COLLECTION

Gravel
ARKETA | R-01

Sand Beige
ARKETA | R-02

Apricot
ARKETA | R-03

Chinese Red
ARKETA | R-04

Kiwi
ARKETA | R-05

Indigo Bunting
ARKETA | R-06

Black
ARKETA | R-07

Celery Green
ARKETA | R-08

Classic White
ARKETA | R-09

Light Gray
ARKETA | R-10

Gray
ARKETA | R-11

Dark Gray
ARKETA | R-12

ARKETA MELANGE ACOUSTIC PET FELT PANEL COLLECTION

Ecru Gray
ARKETA | M-01

Taupe Stone
ARKETA | M-02

Golden Ochre
ARKETA | M-03

Brick Red
ARKETA | M-04

Moss Green
ARKETA | M-05

Ocean Blue
ARKETA | M-06

Sage Gray
ARKETA | M-07

Pistachio Green
ARKETA | M-08

ARKETA ECOCO ACOUSTIC PET FELT PANEL COLLECTION


Ecru
ARKETA ECOCO | 01

Granite Gray
ARKETA ECOCO | 02

Graphite Gray
ARKETA ECOCO | 03

Carbon Black
ARKETA ECOCO | 04

Custom Color Combinations
Choose different SATIS colors for the inner and outer surfaces to create a personalized two-tone finish.



ICHOS
82
COLOR
OPTIONS

ICHOS MELANGE PET FELT PANEL COLLECTION

Golden Olive
ICHOS | K-001

Rust Red
ICHOS | K-002

Midnight Blue
ICHOS | K-003

Fresh Green
ICHOS | K-004

Berry Pink
ICHOS | K-005

Emerald Green
ICHOS | K-006

Natural Tan
ICHOS | K-007

Caramel
ICHOS | K-008

Copper Brown
ICHOS | K-009

Turquoise Blue
ICHOS | K-010

Charcoal Gray
ICHOS | K-011

Violet Purple
ICHOS | K-012

Soft Lavender
ICHOS | K-013

Terracotta Rose
ICHOS | K-014

Teal Green
ICHOS | K-015

Stone Gray
ICHOS | K-016

Natural Brown
ICHOS | K-017

Silver Gray
ICHOS | K-018

Warm Brown
ICHOS | K-019

Cinnamon
ICHOS | K-020

Forest Night
ICHOS | K-021

Heather Gray
ICHOS | K-022

Sage Gray
ICHOS | K-023

Mahogany
ICHOS | K-024

Sage Green
ICHOS | K-025

Brick Red
ICHOS | K-026

Deep Red
ICHOS | K-027

Navy Blue
ICHOS | K-028

Royal Blue
ICHOS | K-029

Golden Brown
ICHOS | K-030

Dark Olive
ICHOS | K-031

Cognac Brown
ICHOS | K-032

Muted Green
ICHOS | K-033

Taupe
ICHOS | K-034

Moss Green
ICHOS | K-035

Medium Gray
ICHOS | K-036

Mocha Brown
ICHOS | K-037

Greige
ICHOS | K-038

Denim Blue
ICHOS | K-039

Cool Gray
ICHOS | K-040

Blue Gray
ICHOS | K-041

ICHOS FLAT PET FELT PANEL COLLECTION

Soft Yellow
ICHOS | D-001

Burnt Orange
ICHOS | D-002

Deep Navy
ICHOS | D-003

Greenery
ICHOS | D-004

Raspberry Pink
ICHOS | D-005

Classic Green
ICHOS | D-006

Light Apricot
ICHOS | D-007

Ochre Orange
ICHOS | D-008

Spicy Orange
ICHOS | D-009

River Blue
ICHOS | D-010

Raven
ICHOS | D-011

Imperial Purple
ICHOS | D-012

Lilac Purple
ICHOS | D-013

Coral
ICHOS | D-014

Teal Blue
ICHOS | D-015

Warm Light Gray
ICHOS | D-016

Camel Brown
ICHOS | D-017

Slate Gray
ICHOS | D-018

Caramel Tan
ICHOS | D-019

Rust Brown
ICHOS | D-020

Olive Gray
ICHOS | D-021

Off White
ICHOS | D-022

Beige Gray
ICHOS | D-023

Burnt Sienna
ICHOS | D-024

Pine Green
ICHOS | D-025

Classic Red
ICHOS | D-026

Crimson Pink
ICHOS | D-027

Dark Blue
ICHOS | D-028

Deep Blue
ICHOS | D-029

Mustard Yellow
ICHOS | D-030

Army Green
ICHOS | D-031

Maple Brown
ICHOS | D-032

Mint Green
ICHOS | D-033

Stone Brown
ICHOS | D-034

Olive Green
ICHOS | D-035

Warm White
ICHOS | D-036

Cork Brown
ICHOS | D-037

Sand Beige
ICHOS | D-038

Periwinkle Purple
ICHOS | D-039

Dusty Blue
ICHOS | D-040

Soft Blue
ICHOS | D-041

ACOUSTIC FELT

FeltVibe®

HEAD OFFICE
Savaş Cad. Söğüt Sok. No: 1
34164 Merter, İstanbul, Türkiye
T: +90 212 637 09 89
F: +90 212 637 02 96
info@feltvibe.com

DÜZCE FACTORY
Organize Sanayii Bölgesi 13. Ada
1/4 Parsel Beyköy Belediyesi
81060 Düzce, Türkiye
T: +90 380 553 73 68-69
F: +90 380 553 73 68-69

GEREDE FACTORY
Gerkonsan Organize
Sanayii Bölgesi
14900 Gerede, Bolu, Türkiye
T: +90 374 311 82 57 / 58
F: +90 374 311 66 37

İZMİR BRANCH
MTK Sitesi 747/ 2 Sokak
No:37 6003 ADA, 6003
Altındağ, İzmir, Türkiye
T: +90 232 431 08 17-18
F: +90 232 431 08 19

www.feltvibe.com

09.07.26